

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	34	(user operator personnel individual) near10 (input\$4 command\$4 select\$4 choos\$4 enter\$4 indicat\$4 determin\$4 decid\$4) near10 (number many type kind) adj (barcod\$4 (bar adj cod\$4) symbol indicia byte\$1) near10 (encod\$4 generat\$4 convert\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 04:49
L6	30	L5 and @ad<="20030703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 04:49
L7	95526	encod\$4.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 04:48
L8	3930	(barcod\$4 (bar adj cod\$4) symbol indicia) near20 byte\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 04:49
L9	189	7 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 04:49
L10	164	9 and @ad<="20030703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 04:58
L11	8	10 and (barcod\$4 (bar adj cod\$4) symbol indicia) near20 display\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 04:57
L12	8235	((format\$4 document image viewalbe video) near5 file\$1) data information) near10 (encod\$4 convert\$4 generat\$4) near10 (divid\$4 number plurality numerous various different many) near10(symbol\$4 graphic\$4 barcod\$4 (bar adj cod\$4) indicia)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 05:41

L13	593	8 and 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 04:57
L14	53	13 and (barcod\$4 (bar adj cod\$4) symbol indicia) near20 display\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 04:57
L15	43	14 and @ad<="20030703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 05:20
L16	2	("5222818"   "5361329").PN. OR ("6906812").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 05:18
L17	72758	(graphic\$4 near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 05:18
L18	1191	12 and L17	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 05:18
L19	22	(input\$4 command\$4 select\$4 choos\$4 enter\$4 indicat\$4 determin\$4 decid\$4) near10 (number many type kind) adj (barcod\$4 (bar adj cod\$4) symbol indicia byte\$1) and 18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 05:20
L20	20	19 and @ad<="20030703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 05:43
L23	1688	12 and (set\$1 setting\$1) near20 encod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 09:53
L24	263	23 and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 05:42
L25	226	24 and @ad<="20030703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 12:15

L26	212	12 and (setting\$1) near20 encod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 05:43
L27	170	26 and @ad<="20030703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 05:44
L28	2	("5602377").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 09:33
L29	1636	(set setting) adj up near20 encod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 09:54
L30	2	17 same 29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 09:55
L31	1377	17 same encod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 09:55
L32	12	17 near20 setting same encod\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 09:55
L33	7	("5635979"   "5872565"   "6031576"   "6115035"   "6160501"   "6288723").PN. OR ("6529146"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/28 09:57
L34	2	("6764011").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 11:42
L35	1332	(235/494).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 12:15

L36	1158	35 and @ad<="20030703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 12:16
L37	720	35 and @ad<="20030703"	USPAT	OR	ON	2005/10/28 12:16
S2	72758	(graphic\$4 near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:05
S3	117806	(format\$4 document image viewalbe video) near5 file\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:06
S5	10675	(input\$4 command\$4 select\$4 choos\$4 enter\$4) near10 (encod\$4 convert\$4) near10 (symbol\$4 graphic\$4 barcod\$4 (bar adj cod\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:33
S6	451	S2 and S3 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:17
S7	343	S6 and @ad<="20030703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:17
S8	25	S7 and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:35
S9	71	S2 and S3 same S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:18
S10	47	S9 and @ad<="20030703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:34
S12	24006	(input\$4 command\$4 select\$4 choos\$4 enter\$4) near10 (encod\$4 convert\$4 generat\$4) near10 (symbol\$4 graphic\$4 barcod\$4 (bar adj cod\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:18

S13	195	S2 and S3 same S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:19
S14	152	S13 and @ad<="20030703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 13:53
S29	1054	((easy ez) adj config\$8) easyconfig\$8 ezconfig\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:07
S30	8161	(barcod\$4 (bar adj cod\$4) symbol indicia) near10 number near10 (generat\$4 encod\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:09
S31	2857	(barcod\$4 (bar adj cod\$4) symbol indicia) near5 byte\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:30
S32	3	S29 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:10
S33	3	S29 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:13
S34	511	S30 and S31	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:14
S35	233	S5 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:18
S36	18	S2 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:17

S37	1783	S5 same (user operator personnel individual)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:18
S38	19	S37 and S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:18
S39	13853	(user operator personnel individual) near10 (input\$4 command\$4 select\$4 choos\$4 enter\$4) near10 (barcod\$4 (bar adj cod\$4) symbol indicia byte\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 17:12
S40	52610	((format\$4 document image viewalbe video) near5 file\$1) data information) near10 (encod\$4 convert\$4 generat\$4) near10 (symbol\$4 graphic\$4 barcod\$4 (bar adj cod\$4) indicia)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 15:58
S41	2879	S39 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:34
S42	679	S41 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 14:34
S43	549	S42 and @ad<="20030703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 16:02
S44	142	S43 and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 05:42

S46	50	("5357285" "6237053" "6185418" "5006842" "4569022" "4574352" "5363487" "5485595" "5493642" "5621484" "5638522" "5952796" "5971632" "6209069" "4355388" "4410961" "4484187" "4494196" "4517650" "4525788" "4561443" "4874996" "4924435" "4927789" "4937843" "5020107" "5025705" "5070333" "5237218" "5336951" "5388083" "5469003" "5479638" "5488711" "5500609" "5528176" "5552722" "5623357" "5630099" "5635855" "5670897" "5729683" "5751769" "5768288" "5771346" "5787015" "5798656" "5805794" "5815510" "5825006").pn.	US-PGPUB; USPAT	OR	ON	2005/10/27 14:58
S47	50	("5832280" "5831448" "5832504" "5835503" "5835413" "5848277" "5861761" "5864486" "5884148" "5900613" "5929418" "5930504" "5932862" "5936529" "5946406" "5956423" "5954828" "5965863" "5968196" "5974202" "5995022" "5996091" "6009520" "6018250" "6023570" "6023727" "6055633" "6092160" "6112314" "6111569" "6134674" "6240095" "6292018" "6317028" "6384711" "6491223" "6578766" "6622052" "6677852" "6697058" "6698656" "5809126" "6148197" "5241544" "4053946" "4245296" "4254460" "4305086" "4318175" "4373181").pn.	US-PGPUB; USPAT	OR	ON	2005/10/27 15:08

S48	93	("20010043273" "20020066788" "20020111924" "20030136841" "20030197062" "20040003388" "20040149826" "4091270" "4654514" "4721849" "4761544" "4774715" "4825058" "4841132" "4864302" "4868375" "4945216" "4954167" "5046066" "5120943" "5185514" "5206881" "5208449" "5256865" "5317113" "5389917" "5488223" "5510606" "5532692" "5557095" "5579487" "5610595" "5610684" "5644601" "5646389" "5668803" "5744788" "5754587" "5777315" "5793903" "5794145" "5802179" "5804802" "5805779" "5815811" "5837986" "5838720" "5848064" "5859970" "5905251" "5912921" "5924040" "5945660" "5946344" "5973681" "5869819" "5965863" "5992752" "6027024" "6045048" "6068188" "6072401" "6119944" "6178426" "6182897" "6199044" "6321989" "6321991" "6321992" "6345764" "6347743" "6384744" "6389010" "6412699" "6507856" "6507864" "6535493" "6539360" "6539422" "6540140" "6540142" "6568596" "6655593" "6697805" "6764009" "6764009" "6764011" "6772947" "6776342" "6776342" "6823388" "6902114" "6902114" "6908034" "6386453" "6622919"). PN.	US-PGPUB; USPAT	OR	ON	2005/10/27 15:08
S49	5	S43 and "341"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 15:53
S50	402	S43 not (S44 S49)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 15:54
S51	7713	((format\$4 document image viewalbe video) near5 file\$1) data information) near10 (encod\$4 convert\$4 generat\$4) near10 (number plurality numerous various different many) near10(symbol\$4 graphic\$4 barcod\$4 (bar adj cod\$4) indicia)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 04:56



S52	2463	(user operator personnel individual) near10 (input\$4 command\$4 select\$4 choos\$4 enter\$4) near10 (number many type kind) near10 (barcod\$4 (bar adj cod\$4) symbol indicia byte\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 17:50
S53	204	S51 and S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 16:02
S54	166	S53 and @ad<="20030703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 17:14
S65	1477	(user operator personnel individual) near10 (input\$4 command\$4 select\$4 choos\$4 enter\$4 indicat\$4) near10 (barcod\$4 (bar adj cod\$4) symbol indicia byte\$1) near10 (encod\$4 generat\$4 divid\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 17:13
S66	492	(user operator personnel individual) near10 (input\$4 command\$4 select\$4 choos\$4 enter\$4 indicat\$4) near10 (barcod\$4 (bar adj cod\$4) byte\$1) near10 (encod\$4 generat\$4 divid\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 17:13
S67	399	S66 and @ad<="20030703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 17:53
S68	386	S67 not S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 17:49
S69	8	automat\$4 near10 (adjust\$4 correct\$4 select\$4 determin\$4) near10 number adj (barcod\$4 (bar adj cod\$4) symbol indicia)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/27 17:51
S70	34	(user operator personnel individual) near10 (input\$4 command\$4 select\$4 choos\$4 enter\$4 indicat\$4 determin\$4 decid\$4) near10 (number many type kind) adj (barcod\$4 (bar adj cod\$4) symbol indicia byte\$1) near10 (encod\$4 generat\$4 convert\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 05:19

S71	30	S70 and @ad<="20030703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 04:44
-----	----	-------------------------	---	----	----	------------------